

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	"2003061150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:13
L2	10163	(370/332,331,329,328,310).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 07:28
L3	11860	(370/332,331,329,328,310,482,480,464).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 07:29
L4	0	("L3and@ad<20050601").PNL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 07:30
L5	8648	L3 and @ad<"20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:30

L6	1175	L5 and (packet and (carrier or frequency or channel) near2 (switch\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:31
L7	1127	L6 and (wireless or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:32
L8	196	L7 and (quality near3 measur\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:33
L9	5	imaizumi-\$in. and ((carrier or frequency or channel) near2 (switch\$3 or chang\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:37
L10	2	suzuki-\$in. and (packet and (carrier or frequency or channel) near (switch\$3 or chang\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:39
L11	5	suzuki-\$in. and (packet and (carrier or frequency or channel) near2 (switch\$3 or chang\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:39

L12	14	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) same ((packet or data or traffic or voice) near2 (contin\$5 or presen\$2 or absen\$2)) and (measur\$5 near2 quality) and (wireless or mobile) and @ad<"20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:41
S1	3	(carrier near2 (switch\$3 or chang\$3)) same (packet with continu\$5) same ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 13:55
S2	9	(carrier near2 (switch\$3 or chang\$3)) same packet same ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:00
S3	101	(carrier near2 (switch\$3 or chang\$3)) and (packet with continu\$5) and ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:15
S4	78	S3 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:16
S5	37	(carrier near2 (switch\$3 or chang\$3 or new or another or different)) same (packet with (contin\$5 or presen\$2 or absen\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:45

S6	5544	(carrier near2 (switch\$3 or chang\$3 or new or another or different)) and ((packet or data or traffic) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:56
S7	1675	S6 and wireless and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:58
S8	2589	(carrier near2 (switch\$3 or chang\$3)) and ((packet or data or traffic) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 14:59
S9	736	S8 and wireless and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:00
S10	8	(carrier near3 (switch\$3 or chang\$3)) and ((packet or data or traffic) near3 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and (carrier with measur\$5 with suppress \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:09
S11	4347	(carrier near3 (switch\$3 or chang\$3)) and ((packet or data or traffic) near3 (contin\$5 or presen\$2 or absen\$2 or detect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:17

S12	1221	S11 and wireless and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:18
S13	249	((carrier near2 (switch\$3 or chang\$3)) and ((packet or data or traffic) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:35
S14	91	S13 and wireless and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:36
S15	174	S13 and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 15:39
S16	564	((carrier or frequency) near3 (switch\$3 or chang\$3)) and ((packet or data or traffic) near3 (contin\$5 or presen\$2 or absen\$2 or detect\$3 or activity)) and ((measur\$5 or evaluat\$3) near3 quality) and ((control\$4 or suppress\$3 or switch\$3 or stop\$3 or paus\$3) near3 (measur\$5 or evaluat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 17:29
S17	232	S16 and wireless and @ad< "20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/13 17:30

S18	297	(carrier or frequency) with measur\$5 with reception with quality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 13:11
S19	42	S18 with (switch\$3 or chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 13:14
S20	579	(packet and ((no\$1 or suppress\$5 or stop\$5 or disabl\$5) near2 (switch or chang\$5) near2 (channel\$5 or frequenc\$5 or carrier)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:29
S21	371	S20 and @ad< "20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:31
S22	102	(carrier near2 (switch\$3 or chang\$3)) and (packet with continu\$5) and ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:33
S23	367	S21 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:33

S24	1054	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) and ((packet or data or traffic) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and ((measur\$5 or evaluat\$3) with quality) and (wireless or mobile) and @ad<"20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:41
S25	806	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) and ((packet or data or traffic or voice) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and ((measur\$5 or evaluat\$3) near2 quality) and (wireless or mobile) and @ad<"20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:44
S26	715	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) and ((packet or data or traffic or voice) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and (measur\$5 near2 quality) and (wireless or mobile) and @ad<"20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:45
S27	493	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) and ((packet or data or traffic or voice) near2 (contin\$5 or presen\$2 or absen\$2)) and (measur\$5 near2 quality) and (wireless or mobile) and @ad<"20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:45
S28	254	(carrier near2 (switch\$3 or chang\$3)) and ((packet or data or traffic) near2 (contin\$5 or presen\$2 or absen\$2 or detect\$3)) and ((measur\$5 or evaluat\$3) with quality)	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S29	174	S28 and @ad<"20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50

S30	565	((carrier or frequency) near3 (switch\$3 or chang\$3)) and ((packet or data or traffic) near3 (continu\$5 or presen\$2 or absen\$2 or detect\$3 or activity)) and ((measur\$5 or evaluat\$3) near3 quality) and ((control\$4 or suppress\$3 or switch\$3 or stop\$3 or paus\$3) near3 (measur\$5 or evaluat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S31	232	S30 and wireless and @ad<"20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S32	297	(carrier or frequency) with measur\$5 with reception with quality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S33	42	S32 with (switch\$3 or chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S34	325	S27 not (S33 or S31 or S29)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 14:50
S35	12	((carrier or frequency or channel) near2 (switch\$3 or chang\$3)) same ((packet or data or traffic or voice) near2 (continu\$5 or presen\$2 or absen\$2)) and (measur\$5 near2 quality) and (wireless or mobile) and @ad<"20040608"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 15:30

S36	361	((frequenc\$3 or carrier) near2 ("not" or no or stop\$5 or suppress\$5) near2 (switch\$3 or chang\$3 or modif\$7 or hand\$1o\$3) near2 (carrier)) and ((switch\$3 or chang\$3 or modif\$7 or hand\$1o\$3) near2 (carrier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:07
S37	253	S36 and @ad<"20050601"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/26 07:09

8/26/2008 7:54:53 AM

C:\Documents and Settings\nguyen85\My Documents\EAST\Workspaces\10574599.wsp